

Canadian Journal of Anesthesia

Index of Authors

Volume 48, December 2001

Note: Abstracts and refresher course outlines in the May *Annual Meeting Supplement* are not included in this index.

A

- Abud TMV, Braz JRC, Martins RHG, Gregório EA, Saldanha JC. High laryngeal mask airway pressures resulting from nitrous oxide do not increase pharyngeal mucosal injury in dogs, 800
- Adler LJ, see Vallejo MC, jt. auth.
- Agrò F, Hung OR, Cataldo R, Carassiti M, Gherardi S. Lightwand intubation using the Trachlight™: a brief review of current knowledge, 592
- Ahmad M, see Kelly DJ, jt. auth.
- Abn W-S, see Park C, jt. auth.
- Ainsworth L, see Duncan PG, jt. auth.
- Al-Hattab Y, see Naguib M, jt. auth.
- Alexandre F, see Carceles MD, jt. auth.
- Ali M, see Wake PJ, jt. auth.
- Ali MS, Harmer M, Vaughan RS, Dunne JA, Latto IP. Spatially resolved spectroscopy (NIRO-300) does not agree with jugular bulb oxygen saturation in patients undergoing warm bypass surgery, 497
- Ananthanarayan C, see Davies S, jt. auth.
- Andersson I, Tylman M, Bengtson JP, Bengtsson A. Complement split products and pro-inflammatory cytokines in salvaged blood after hip and knee arthroplasty, 251
- Anzawa N, Kushikata T, Ohkawa H, Yoshida H, Kubota T, Matsuki A. Increased noradrenaline release from rat preoptic area during and after sevoflurane and isoflurane anesthesia, 462
- Araiz SR, see Ebert TJ, jt. auth.
- Archer DP, Pash MP, MacRae ME. Successful management of venous air embolism with inotropic support, 204
- Asai T, Shingu K. Airway obstruction in a child with asymptomatic tracheobronchomalacia, 684
- . Case report: a normal capnogram despite esophageal intubation, 1025
- Asato F, Kanai A. Sensory blockade of S3 dermatome prevents pain during bladder catheterization, 379
- Attia M, see Naguib M, jt. auth.
- Aubas P, see Biboulet P, jt. auth.
- Aubert M, see Kerbaul F, jt. auth.
- Avery N, see Patterson L, jt. auth.

B

- Babin D, see Denault A, jt. auth.
- see Haché M, jt. auth.
- Bachand R, see Duncan PG, jt. auth.
- Babar M, Chanimov M, Cohen ML, Friedland M, Grinshpon Y, Brenner R, Shul I, Datsky R, Sherman DJ. Lateral recumbent head-down posture for epidural catheter insertion reduces intravascular injection, 48
- Bakk J-H, see Park C, jt. auth.
- Baillard C, Lamberto JF, Martinez C, Letoumelin P, Fournier JL, Cupa M, Samama CM. Point de vue des patients concernant la prise en charge anesthésique, 526
- see also Samama CM, jt. auth.
- Bansillon V, see Degoute C-S, jt. auth.
- Baraka AS, Siddik SS, Taha SK, Jalbout MI, Massouh FM. Low frequency jet ventilation for stent insertion in a patient with tracheal stenosis, 701
- Barney JA, see Ebert TJ, jt. auth.
- Barthélémy J-C, see Pichot V, jt. auth.
- Bélisle S, see Denault A, jt. auth.
- see Forestier F, jt. auth.
- see Haché M, jt. auth.
- Bellezza M, see Kerbaul F, jt. auth.
- Belo SE, see Joo HS, jt. auth.
- Ben-Abraham R, see Weinbroum AA, jt. auth.
- Bengtson JP, see Andersson I, jt. auth.
- Bengtsson A, see Andersson I, jt. auth.
- Benson KT, see Sasao J, jt. auth.
- Bergeron C, see Fortier G, jt. auth.
- Bergeron L, see Boucher C, jt. auth.
- see Le Truong HH, jt. auth.
- Berrill A, see Vaghadia H, jt. auth.
- Biboulet P, Aubas P, Dubourdieu J, Rubenovitch J, Capdevila X, d'Athis F. Fatal and non fatal cardiac arrests related to anesthesia, 326
- Bishop MJ, see Lee J, jt. auth.
- Bissonnette B, see Wilder-Smith OHG, jt. auth.
- Bjerke RJ, Mangione MP. Asystole after intravenous neostigmine in a heart transplant recipient, 305
- Blackstock D, see Gagnon RE, jt. auth.
- Blanloeil Y, Le Roux C, Rigal JC, Le Teurnier Y, Chaillon P. Transesophageal echocardiography diagnosis of tricuspid obstruction by a vena cava

- tumour, 401
- Bleichner JP, see *Seguin P*, jt. auth.
- Boivert JA, see *Hadjistavropoulos HD*, jt. auth.
- Boker A, Ong BT. Anesthesia for Cesarean section and posterior fossa craniotomy in a patient with von Hippel-Lindau disease, 387
- Boldt J, see *Piper SN*, jt. auth.
- Borromeo CJ, see *Stix MS*, jt. auth.
- Boucher C, Girard M, Drolet P, Grenier Y, Bergeron L, Le Truong HH. Intrathecal fentanyl does not modify the duration of spinal procaine block, 466
– see also *Le Truong HH*, jt. auth.
- Bourzoufi K, see *Decoene C*, jt. auth.
- Boyce JR. Poor Man's LMA: achieving adequate ventilation with a poor mask seal, 483
- Bradley JW, see *Brull R*, jt. auth.
- Branger B, see *Seguin P*, jt. auth.
- Braz JRC, see *Abud TMV*, jt. auth.
- Breen PM, see *Griffin MJ*, jt. auth.
- Brenner R, see *Bahar M*, jt. auth.
- Breslin DS, see *Reid JE*, jt. auth.
- Brimacombe J, see *Han T-H*, jt. auth.
– see *Kihara S*, jt. auth.
– see *Lu P-P*, jt. auth.
- Brinquin L, see *Mérat S*, jt. auth.
- Brown D, see *McGuire G*, jt. auth.
- Brull R, Bradley JW. The role of anesthesiologists in Canadian undergraduate medical education, 147
- Brull SJ, see *Kelly DJ*, jt. auth.
- Buckley DN, see *Ganapathy S*, jt. auth.
- Buffière S, see *Pichot V*, jt. auth.
- Burrows EA, see *McDonagh RJ*, jt. auth.
- Burrows RF, see *McDonagh RJ*, jt. auth.
- Bussières JS, see *Fortier G*, jt. auth.
- Butterfield NN, Schwarz SKW, Ries CR, Franciosi LG, Day B, MacLeod BA. Combined pre- and post-surgical bupivacaine wound infiltrations decrease opioid requirements after knee ligament reconstruction, 245
- C**
- Campbell DC, see *Chisholm ME*, jt. auth.
– see *McNiven P*, jt. auth.
- Capdevila X, see *Biboulet P*, jt. auth.
- Carassiti M, see *Agrò F*, jt. auth.
- Carceles MD, Alexandre F, Fuente T, López-Vidal J, Laorden ML. Combined phosphodiesterase inhibition and β -blockade in the G1104313, decreases ischemia-induced arrhythmias in the rat, 486
- Carroll J, see *Wake PJ*, jt. auth.
- Castro C, see *Davies S*, jt. auth.
- Cataldo R, see *Agrò F*, jt. auth.
- Chaillou P, see *Blanloeil Y*, jt. auth.
- Chan P, see *Patterson L*, jt. auth.
- Chanimov M, see *Bahar M*, jt. auth.
- Chelly JE, see *Davidson EM*, jt. auth.
– see *Delaunay L*, jt. auth.
- Chen RJB, see *Orser BA*, jt. auth.
- Chen X, see *Kimura A*, jt. auth.
– see *Yamakage M*, jt. auth.
- Cheng CJ-C, Sia AT-H, Lim EH-L, Loke GP-Y, Tan HM. Either sufentanil or fentanyl, in addition to intrathecal bupivacaine, provide satisfactory early labour analgesia, 570
- Cheng DCH, see *Wake PJ*, jt. auth.
- Cheong KF, see *Ng HP*, jt. auth.
- Chevalley C, Spiliopoulos A, de Perrot M, Tschopp J-M, Licker M. Perioperative medical management and outcome following thymectomy for myasthenia gravis, 446
- Chi OZ, Choi YK, Lee DI, Kim YS, Lee I. Intraoperative mild hypothermia does not increase the plasma concentration of stress hormones during neurosurgery, 815
- Chia Y-Y, see *Tan P-H*, jt. auth.
- Chilvers CR, Goodwin A, Vaghadia H, Mitchell GWE. Selective spinal anesthesia for outpatient laparoscopy. V: Pharmacoeconomic comparison vs general anesthesia, 279
- Chin EY-R, see *Poopalalingam R*, jt. auth.
- Chisholm ME, Campbell DC. Postpartum postural headache due to superior sagittal sinus thrombosis mistaken for spontaneous intracranial hypotension, 302
- Choi JH, see *Lee J*, jt. auth.
- Choi Y-S, see *Lee I-O*, jt. auth.
- Choi YK, see *Chi OZ*, jt. auth.
- Chomel A, Combes JC, Yeguiayan JM, Freysz M. L'insufflation trachéale de gaz permet d'éviter l'hypercapnie chez le traumatisé crânien grave avec syndrome de détresse respiratoire aiguë, 1040
- Chong JL, see *Lim NLSH*, jt. auth.
- Chu K-S, see *Huang J-C*, jt. auth.
- Chung F, see *Wong J*, jt. auth.
- Cleave-Hogg DM, see *Morgan PJ*, jt. auth.
- Cohen M, see *Fung D*, jt. auth.
- Cohen ML, see *Bahar M*, jt. auth.
- Colbert ST, see *O'Hanlon DM*, jt. auth.
- Cole DJ, Cross LM, Drummond JC, Patel PM, Jacobsen WK. Thiopentone and methohexital, but not pentobarbitone, reduce early focal cerebral ischemic injury in rats, 807
- Collier PJ, see *Pandit UA*, jt. auth.
- Collins L, see *Vaghadia H*, jt. auth.
- Collins LM, Padda J, Vaghadia H. Mini-audits facilitate quality assurance in outpatient units, 737

- Combes JC, see Chomel A, jt. auth.
 Contant C, see Forestier F, jt. auth.
 Costes F, see Pichot V, jt. auth.
 Coté D, see Fortier G, jt. auth.
 Couture P, see Haché M, jt. auth.
 Craven CM, see Vallejo MC, jt. auth.
 Crepin F, see Decoene C, jt. auth.
 Crosby E. Clinical case discussion: anesthesia for Cesarean section in a parturient with a large intrathoracic tumour, 575
 Cross LM, see Cole DJ, jt. auth.
 Cunningham AJ, see McGinley J, jt. auth.
 Cupa M, see Baillard C, jt. auth.
- D**
 Dababa AA, Schweitzer E, Fitzgerald RD, Schwarz S. Equi-lasting doses of rocuronium, compared to mivacurium, result in improved neuromuscular blockade in patients undergoing gynecological laparoscopy, 1084
 Dain SL. Anesthesia standards for facilities and equipment (review), 41
 Daper A, see Van der Linden P, jt. auth.
 d'Athis F, see Biboulet P, jt. auth.
 Datsky R, see Bahar M, jt. auth.
 Davidson EM, Doursout M-F, Szmuk P, Chelly JE. Antinociceptive and cardiovascular properties of esmolol following formalin injection in rats, 59
 — see also Shir Y, jt. auth.
 Davies S. Amniotic fluid embolus: a review of the literature, 88
 — see also Imarengiaye C, jt. auth.
 Davies S, Ananthanarayan C, Castro C. Asymptomatic lingual tonsillar hypertrophy and difficult airway management: a report of three cases, 1020
 Day B, see Butterfield NN, jt. auth.
 De Boelpaepe C, see Van der Linden P, jt. auth.
 De Franceschi E, see Roelants F, jt. auth.
 De Hert S, see Van der Linden P, jt. auth.
 de Moerloose P, see Ferring M, jt. auth.
 de Perrot M, see Chevalley C, jt. auth.
 Decoene C, Bourzoufi K, Moreau D, Narducci F, Crepin F, Krivosic-Horber R. Use of inhaled nitric oxide for emergency Cesarean section in a woman with unexpected primary pulmonary hypertension, 584
 Decosterd LA, see Wilder-Smith OHG, jt. auth.
 Defrance P, see Van der Linden P, jt. auth.
 Degoute C-S, Ray M-J, Manchon M, Dubreuil C, Bansillon V. Remifentanyl and controlled hypotension; comparison with nitroprusside or esmolol during tympanoplasty, 20
 Delaunay L, Chelly JE. Blocks at the wrist provide effective anesthesia for carpal tunnel release, 656
 Delvi MB, see Naguib M, jt. auth.
 Denault A, Bélisle S, Babin D, Hardy J-F. Difficult separation from cardiopulmonary bypass and ΔPCO_2 , 196
 —, Fréchette D, Skrobik Y. Prevention: supplemental oxygen reduces the incidence of surgical-wound infection. Best evidence in anesthetic practice commentaries, 844
 Denault AT, see Haché M, jt. auth.
 Despland PA, see Wilder-Smith OHG, jt. auth.
 Dexter F, Macario A. Optimal number of beds and occupancy to minimize staffing costs in an obstetrical unit?, 295
 Diby M, see Ferring M, jt. auth.
 Diraison Y, see Mérat S, jt. auth.
 Do S-H, see Park C, jt. auth.
 Dobson J, see Hadjistavropoulos HD, jt. auth.
 Doursout MF, see Davidson EM, jt. auth.
 Drolet P, see Boucher C, jt. auth.
 — see Le Truong HH, jt. auth.
 Drolet P, Girard M. L'anesthésie loco-régionale neuraxiale et la chirurgie vasculaire : les bénéfices (débat), 65
 Drover JW, see Kindopp AS, jt. auth.
 Drummond JC, see Cole DJ, jt. auth.
 Dubey PK, Sinha PK, Raghvendra KH. Anesthetic considerations in a patient with visceral leishmaniasis, 529
 Dubourdieu J, see Biboulet P, jt. auth.
 Dubreuil C, see Degoute C-S, jt. auth.
 Dudziak M, see Lasinska-Kowara M, jt. auth.
 Duncan PG, Shandro J, Bachand R, Ainsworth L. A pilot study of recovery room bypass ("fast-track protocol") in a community hospital, 630
 Dunne JA, see Ali MS, jt. auth.
 Dupuis G, see Le May S, jt. auth.
 Duverney D, see Pichot V, jt. auth.
- E**
 Ebert TJ, Trotter TS, Arain SR, Ubrich TD, Barney JA. High concentrations of isoflurane do not block the sympathetic nervous system activation from desflurane, 133
 Egawa H, see Yamaguchi S, jt. auth.
 El-Beheiry H, see McGuire G, jt. auth.
 Engelhard K, Werner C, Möllenberg O, Kochs E. S(+)-ketamine/propofol maintain dynamic cerebrovascular autoregulation in humans, 1034
 Erkola O, see Rautoma P, jt. auth.
 Erlacher W, Schuschnig C, Koinig H, Marhofer P, Melischek M, Mayer N, Kapral S. Clonidine as

adjuvant for mepivacaine, ropivacaine and bupivacaine in axillary, perivascular brachial plexus block, 522

Ezri T, see *Shnaider R*, jt. auth.

F

Fallon KM, Fuller JG, Morley-Forster P. Fat embolization and fatal cardiac arrest during hip arthroplasty with methylmethacrylate, 626

Fassoulaki A, Paraskeva A, Papilas K, Patris K. Hypnotic and cardiovascular effects of proprietary and generic propofol formulations do not differ, 459

——, Sarantopoulos C, Papilas K, Patris K, Melemini A. Academic anesthesiologists' views on the importance of the impact factor of scientific journals: a North American and European survey, 953

Fayad A, see *Sawchuk C*, jt. auth.

Fent MT, see *Piper SN*, jt. auth.

Ferring M, Reber G, de Moerloose P, Merlani P, Diby M, Ricou B. Points of care and central laboratory determinations of the aPTT are not interchangeable in surgical intensive care patients, 1155

Fenullu A, see *Seguin P*, jt. auth.

Figueredo E. Changes in the intracuff pressure of the laryngeal masks airway caused by repeated use, 409

Finggan BA, see *Matthey P*, jt. auth.

Finucane BT, see *Matthey P*, jt. auth.

Fischer J, see *Weiss M*, jt. auth.

Fitzgerald PC, see *Kern SE*, jt. auth.

Fitzgerald RD, see *Dababa AA*, jt. auth.

Forestier F, Bélisle S, Contant C, Harel F, Janvier G, Hardy J-F. Reproductibilité et interchangeabilité du Thromboélastographe®, Sonoclot® et du temps de coagulation activé (Hémochron®), en chirurgie cardiaque, 902

Fortier G, Coté D, Bergeron C, Bussi eres JS. New landmarks improve the positioning of the left Broncho-Cath™ double-lumen tube-comparison with the classic technique, 790

Fossard J-P, Samet A, Meistelman C, Longrois D. Life-threatening pneumothorax of the ventilated lung during thoracoscopic pleurectomy, 493

Fournier JL, see *Baillard C*, jt. auth.

Fowler C, see *Henderson CL*, jt. auth.

Fragen RJ, see *Kern SE*, jt. auth.

Franciosi LG, see *Butterfield NN*, jt. auth.

French RA, see *Kennedy RR*, jt. auth.

Frenchville DD, see *Greenberg M*, jt. auth.

Freys G, see *Steib A*, jt. auth.

Freysz M, see *Chomel A*, jt. auth.

Friedland M, see *Bahar M*, jt. auth.

Fuente T, see *Carceles MD*, jt. auth.

Fujii Y, see *Saitoh Y*, jt. auth.

Fujita N, see *Okano N*, jt. auth.

Fuller JG, see *Fallon KM*, jt. auth.

Fung D, Cohen M. What do outpatients value most in their anesthesia care?, 12

Furuta S, Tanigawa S, Ohmizo H, Iwama H. Increase of peak expiratory flow by atropine is dependent on circadian rhythm, 85

G

Gagnon RE, Macnab AJ, Blackstock D. An inventory of Canadian anesthesiology. Human research from 1995 through 1999, 452

Ganapathy S, Buckley DN. Prevention: intraoperative neuraxial blockade reduces some postoperative complications. Best evidence in anesthetic practice commentaries, 990

Gaspoz J-M, see *Pichot V*, jt. auth.

Geller E, see *Weinbroum AA*, jt. auth.

Georgieff M, see *Lattermann R*, jt. auth.

Ger L-P, see *Wang J-J*, jt. auth.

Gerber AC, see *Weiss M*, jt. auth.

Gherardi S, see *Agr  F*, jt. auth.

Girard M, see *Boucher C*, jt. auth.

— see *Drolet P*, jt. auth.

— see *Le Truong HH*, jt. auth.

Given HF, see *O'Hanlon DM*, jt. auth.

Goetz AE, see *Z llner C*, jt. auth.

Goodwin A, see *Chilvers CR*, jt. auth.

Gorodesky A, see *Weinbroum AA*, jt. auth.

Goto F, see *Kadoi Y*, jt. auth.

— see *Nara T*, jt. auth.

— see *Okano N*, jt. auth.

Goto H, see *Sasao J*, jt. auth.

Gourdeau M, see *V zina DP*, jt. auth.

Granger R, see *Hoskin RW*, jt. auth.

Grant SA, see *Klein SM*, jt. auth.

Greenberg M, Frenchville DD, Hilfiker M.

Separation of omphalopagus conjoined twins using combined caudal epidural-general anesthesia, 478

Greengrass RA, see *Klein SM*, jt. auth.

Gregoretti C, see *Skrobik Y*, jt. auth.

Greg rio EA, see *Abud TMV*, jt. auth.

Grenier Y, see *Boucher C*, jt. auth.

— see *Le Truong HH*, jt. auth.

Griffin MJ, Breen PM, O'Connor JJ, Hannon V.

Desflurane, compared to halothane, augments phenylephrine-induced contraction in isolated rat aorta smooth muscle, 361

Grinshpon Y, see *Bahar M*, jt. auth.

- Guest CB, see Morgan PJ, jt. auth.
 Guidon C, see Kerbaul F, jt. auth.
 Guillou YM, see Seguin P, jt. auth.
 Guimond J-G, see Haché M, jt. auth.
 Gyermek L, see Nishiyama T, jt. auth.

H

- Haché M, Denault AY, Bélisle S, Couture P, Babin D, Tétrault F, Guimond J-G. Inhaled prostacyclin (PGI_2) is an effective addition to the treatment of pulmonary hypertension and hypoxia in the operating room and intensive care unit, 924
 Hadjistavropoulos HD, Dobson J, Boisvert JA. Information provision, patient involvement, and emotional support: prospective areas for improving anesthetic care, 864
 Haller M, see Zöllner C, jt. auth.
 Han T-H, Brimacombe J, Lee E-J, Yang H-S. The laryngeal mask airway is effective (and probably safe) in selected healthy parturients for elective Cesarean section: a prospective study of 1067 cases, 1117
 Hannon V, see Griffin MJ, jt. auth.
 Hanusa C, see Hemmerling TM, jt. auth.
 Haranishi Y, see Kawata R, jt. auth.
 Hardy J-F, see Denault A, jt. auth.
 — see Forestier F, jt. auth.
 — see Le May S, jt. auth.
 Harel F, see Forestier F, jt. auth.
 — Le May S, jt. auth.
 Harmer M, see Ali MS, jt. auth.
 Hartmann K, see Weiss M, jt. auth.
 Hayashi M, see Nakayama M, jt. auth.
 Hayes AH, see Reid JE, jt. auth.
 Heinonen PO, see Mäkinen MT, jt. auth.
 Hemmerling TM, Schmidt J, Hanusa C, Wolf T, Jacobi KE. The lumbar paravertebral region provides a novel site to assess neuromuscular block at the diaphragm, 356
 —, Schuettler J, Schwilden H. Desflurane reduces the effective therapeutic infusion rate (ETI) of cisatracurium more than isoflurane, sevoflurane, or propofol, 532
 Henderson CL, Schmid J, Vaghadia H, Fowler C, Mitchell GWE. Selective spinal anesthesia for outpatient laparoscopy. III: Sufentanil vs lidocaine-sufentanil, 267
 — see also Vaghadia H, jt. auth.
 Henry R, see Nair V, jt. auth.
 Herold J, see Morgan PJ, jt. auth.
 Hess PE, see Soni AK, jt. auth.
 Heyland DK, see Kindopp AS, jt. auth.
 Higgins LD, see Klein SM, jt. auth.
 Hilfiker M, see Greenberg M, jt. auth.
 Hiraoka H, see Okano N, jt. auth.
 Hirota K, see Yoshida H, jt. auth.
 Ho ACT, see Lu P-P, jt. auth.
 Ho S-T, see Wang J-J, jt. auth.
 Hoffmann J-J, see Mérat S, jt. auth.
 Hoskin RW, Granger R. Intraoperative decrease in pulse oximeter readings following injection of iso-sulfan blue, 38
 Hosoya M, see Kihara S, jt. auth.
 Hsu JC, see Lin CM, jt. auth.
 Huang J-C, Shieh J-P, Tang C-S, Tzeng J-I, Chu K-S, Wang J-J. Low-dose dexamethasone effectively prevents postoperative nausea and vomiting after ambulatory laparoscopic surgery, 973
 Hubbard K, see McGinley J, jt. auth.
 Hung OR, see Agrò F, jt. auth.
- I
- Ichinose H, see Nakayama M, jt. auth.
 Ide M, see Kadoi Y, jt. auth.
 Imarengiaye C, Littleford J, Davies S, Thapar K, Kingdom J. Goal oriented general anesthesia for Cesarean section in a parturient with a large intracranial epidermoid cyst, 884
 Inoue T, see Yoshikawa T, jt. auth.
 Ishida K, see Kawata R, jt. auth.
 Ishihara H, see Yoshida H, jt. auth.
 Iwama H, see Furuta S, jt. auth.
 Iwasaka H, Kitano T, Miyakawa H, Unoshima M, Shinguu C, Matsumoto S, Noguchi T. Neutrophilia and granulocyte colony-stimulating factor levels after cardiopulmonary bypass, 81
 Iwasaki H, see Murayama K, jt. auth.
- J
- Jacobi KE, see Hemmerling TM, jt. auth.
 Jacobs D, see Van der Linden P, jt. auth.
 Jacobsen WK, see Cole DJ, jt. auth.
 Jalbout MI, see Baraka AS, jt. auth.
 Janvier G, see Forestier F, jt. auth.
 Jenkins K, Wong D. A survey of professional satisfaction among Canadian anesthesiologists, 637
 Johnson JO, see Kern SE, jt. auth.
 Joo HS, Perks WJ, Belo SE. Sevoflurane with remifentanil allows rapid tracheal intubation without neuromuscular blocking agents, 646
- K
- Kadoi Y, Saito S, Seki S, Ide M, Morita T, Goto F. Electroconvulsive therapy impairs systolic performance of the left ventricle, 405
 — see also Nara T, jt. auth.

- see also *Okano N*, jt. auth.
 - Kamada Y*, see *Kimura A*, jt. auth.
 - see *Yamakage M*, jt. auth.
 - Kanai A*, see *Asato F*, jt. auth.
 - Kanaya N*, see *Nakayama M*, jt. auth.
 - Kaneda K*, see *Saitoh Y*, jt. auth.
 - Kapral S*, see *Erlacher W*, jt. auth.
 - Katagai H*, see *Kudoh A*, jt. auth.
 - Kato Y*, see *Shime N*, jt. auth.
 - Katz J*, see *Shnaider R*, jt. auth.
 - Kaufman K*, see *McNiven P*, jt. auth.
 - Kaul B*, see *Vallejo MC*, jt. auth.
 - Kaul V*, see *Kurian J*, jt. auth.
 - Kawamata M*, see *Nishikawa K*, jt. auth.
 - Kawasaki C*, *Kawasaki T*, *Ogata M*, *Nandate K*, *Shigematsu A*. Ketamine isomers suppress superantigen-induced proinflammatory cytokine production in human whole blood, 819
 - Kawasaki T*, see *Kawasaki C*, jt. auth.
 - Kawasaki-Yatsugi S*, see *Nishiyama T*, jt. auth.
 - Kawata R*, *Matsumoto M*, *Haranishi Y*, *Ishida K*, *Nakakimura K*, *Sakabe T*. Changes in cerebral blood flow velocity elicited by surgical stimulation are dependent on the PaCO₂ level, 1029
 - Keane PW*, see *O'Hanlon DM*, jt. auth.
 - Kelly DJ*, *Ahmad M*, *Brull SJ*. Preemptive analgesia I: physiological pathways and pharmacological modalities (review article), 1000
 - . Preemptive analgesia II: recent advances and current trends (review article), 1091
 - Kemmotsu O*, see *Takita K*, jt. auth.
 - Kennedy RR*, *French RA*. A breathing circuit disconnection detected by anesthetic agent monitoring, 847
 - see also *Mitchell AM*, jt. auth.
 - Kerbaul F*, *Guidon C*, *Stephanazzi J*, *Bellezza M*, *Le Dantec P*, *Longeon T*, *Aubert M*. Sub-MAC concentrations of desflurane do not inhibit hypoxic pulmonary vasoconstriction in anesthetized piglets, 760
 - Kern SE*, *Fragen RJ*, *Fitzgerald PC*, *van Zeeland M*, *Johnson JO*. Impact of the initial doses of rocuronium and pancuronium on subsequent maintenance for neuromuscular block, 129
 - Kholdebarin AR*, see *Setayesh AR*, jt. auth.
 - Kihara S*, *Taguchi Y*, *Brimacombe J*, *Watanabe S*, *Taguchi N*, *Hosoya M*. Routine use of the intubating laryngeal mask airway results in increased upper airway morbidity, 604
 - Kilger E*, see *Zöllner C*, jt. auth.
 - Kim ES*, see *Lee J*, jt. auth.
 - Kim N-S*, see *Lee I-O*, jt. auth.
 - Kim S-H*, see *Lee I-O*, jt. auth.
 - Kim W-C*, see *Shime N*, jt. auth.
 - Kim YS*, see *Chi OZ*, jt. auth.
 - Kimbimbi P*, see *Van der Linden P*, jt. auth.
 - Kimura A*, *Yamakage M*, *Chen X*, *Kamada Y*, *Namiki A*. Use of the fiberoptic stylet scope (Styletscope™) reduces the hemodynamic response to intubation in normotensive and hypertensive patients, 919
 - see also *Yamakage M*, jt. auth.
 - Kindopp AS*, *Drover JW*, *Heyland DK*. Capnography confirms correct feeding tube placement in intensive care unit patients, 705
 - Kindscher JD*, see *Sasao J*, jt. auth.
 - Kingdom J*, see *Imarengiaye C*, jt. auth.
 - Kishi Y*, see *Nakagawa M*, jt. auth.
 - Kitajima T*, see *Yamaguchi S*, jt. auth.
 - Kitamura H*, see *Kumagai K*, jt. auth.
 - Kitano T*, see *Iwasaka H*, jt. auth.
 - Klein SM*, *Greengrass RA*, *Grant SA*, *Higgins LD*, *Nielsen KC*, *Steele SM*. Ambulatory surgery for multi-ligament knee reconstruction with continuous dual catheter peripheral nerve blockade, 375
 - Klemola UM*, see *Mäkinen MT*, jt. auth.
 - Kochs E*, see *Engelhard K*, jt. auth.
 - Koinig H*, see *Erlacher W*, jt. auth.
 - Komatsu T*, see *Kumagai K*, jt. auth.
 - Kong M-H*, see *Lee I-O*, jt. auth.
 - Krivacic-Horber R*, see *Decoene C*, jt. auth.
 - Kubota T*, see *Anzawa N*, jt. auth.
 - see *Yoshida H*, jt. auth.
 - Kudoh A*, *Katagai H*, *Takazawa T*. Endocrine response to surgical stress in three patients over 100 yr, 340
 - Kumagai K*, *Nishiwaki K*, *Sato K*, *Kitamura H*, *Yano K*, *Komatsu T*, *Shimada Y*. Perioperative management of a patient with purpura fulminans syndrome due to protein C deficiency, 1070
 - Kurian J*, *Kaul V*. Profound postoperative hypoglycemia in a malnourished patient, 881
 - Kushikata T*, see *Anzawa N*, jt. auth.
 - see *Yoshida H*, jt. auth.
 - Kwon OK*, see *Lee J*, jt. auth.
- ## L
- Lai JKT*, see *Quader K*, jt. auth.
 - Lai Y-C*, *Manninen PH*. Anesthesia for cerebral aneurysms: a comparison between interventional neuroradiology and surgery, 391
 - Lamberto JF*, see *Baillard C*, jt. auth.
 - Lamm P*, see *Zöllner C*, jt. auth.
 - Laorden ML*, see *Carceles MD*, jt. auth.
 - Larsen NE*, see *Roming J*, jt. auth.
 - Larson S*, see *Shnaider R*, jt. auth.

- Lasinska-Kowara M, Dudziak M, Suchorzewska J.*
Two cases of postpartum cardiomyopathy initially misdiagnosed for pulmonary embolism, 773
- Lattermann R, Schricker T, Georgieff M, Schreiber M.*
Low dose clonidine premedication accentuates the hyperglycemic response to surgery, 755
- , *Schricker T, Wachter U, Georgieff M, Schreiber M.*
Laparoscopic-assisted vaginal hysterectomy and the hyperglycemic response to surgery: an observational study, 871
- Latto IP, see Ali MS, jt. auth.*
- Lavand'homme P, see Roclants F, jt. auth.*
- Le Dantec P, see Kerbaul F, jt. auth.*
- Le Gulluche Y, see Mérat S, jt. auth.*
- Le May S, Hardy J-F, Harel F, Taillefer M-C, Dupuis G.* Patients' perceptions of cardiac anesthesia services: a pilot study, 1127
- , *Hardy J-F, Taillefer M-C, Dupuis G.* Patient satisfaction with anesthesia services, 153
- Le Roux C, see Blanloeil Y, jt. auth.*
- Le Teurnier Y, see Blanloeil Y, jt. auth.*
- Le Truong HH, Girard M, Drolet P, Grenier Y, Boucher C, Bergeron L.* Spinal anesthesia: a comparison of procaine and lidocaine, 470
- see also *Boucher C, jt. auth.*
- Lee C, see Nishiyama T, jt. auth.*
- Lee DI, see Chi OZ, jt. auth.*
- Lee E-J, see Han T-H, jt. auth.*
- Lee I, see Chi OZ, jt. auth.*
- Lee I-O, Kim S-H, Kong M-H, Lee M-K, Kim N-S, Choi Y-S, Lim S-H.* Pain after laparoscopic cholecystectomy: the effect and timing of incisional and intraperitoneal bupivacaine, 545
- Lee J, Shim JY, Choi JH, Kim ES, Kwon OK, Moon DE, Choi JH, Bishop MJ.* Epidural naloxone reduces intestinal hypomotility but not analgesia of epidural morphine, 54
- Lee K-H, see Park C, jt. auth.*
- Lee M-K, see Lee I-O, jt. auth.*
- Lee T-H, see Tan P-H, jt. auth.*
- Lehmann C, see Steib A, jt. auth.*
- Lessard MR, see Vézina DP, jt. auth.*
- Letoumelin P, see Baillard C, jt. auth.*
- Lévecque J-P, see Mérat S, jt. auth.*
- Licker M, see Chevalley C, jt. auth.*
- Lim A, see Ng HP, jt. auth.*
- Lim EH-L, see Cheng CJ-C, jt. auth.*
- Lim J, see Ng HP, jt. auth.*
- Lim NLSH, Lo WK, Chong JL, Pan AX.* Single dose diclofenac suppository reduces post-Cesarean PCEA requirements, 383
- Lim S-H, see Lee I-O, jt. auth.*
- Lin CM, Hsu JC.* Anterior mediastinal tumour identified by intraoperative transesophageal echocardiography, 78
- Littleford J, see Imarengiaye C, jt. auth.*
- Liu H-P, see Lu P-P, jt. auth.*
- Liu H-S, see Wang J-J, jt. auth.*
- Liu K, see Tan P-H, jt. auth.*
- Lo WK, see Lim NLSH, jt. auth.*
- Lo Y, see Tan P-H, jt. auth.*
- Loke GP-Y, see Cheng CJ-C, jt. auth.*
- Longeon T, see Kerbaul F, jt. auth.*
- Longrois D, see Fossard J-P, jt. auth.*
- López-Vidal J, see Carceles MD, jt. auth.*
- Lu P-P, Brimacombe J, Ho ACT, Shyr M-H, Liu HP.*
The intubating laryngeal mask airway in severe ankylosing spondylitis, 1015
- Luurila H, see Rautoma P, jt. auth.*
- Lynch L, see McGinley J, jt. auth.*
- ## M
- Macario A, see Dexter F, jt. auth.*
- MacLeod BA, see Butterfield NN, jt. auth.*
- Macnab AJ, see Gagnon RE, jt. auth.*
- Macpherson TA, see Vallejo MC, jt. auth.*
- MacRae ME, see Archer DP, jt. auth.*
- Maboudeau G, see Steib A, jt. auth.*
- Mäkinen MT, Heinonen PO, Klemola UM, Yli-Hankal A.* Gastric air tonometry during laparoscopic cholecystectomy: a comparison of two PaCO₂ levels, 121
- Maleck WH, see Piper SN, jt. auth.*
- Mallédant Y, see Seguin P, jt. auth.*
- Malviya S, see Pandit UA, jt. auth.*
- Mamiya K, see Murayama K, jt. auth.*
- Mammoto T, see Nakagawa M, jt. auth.*
- Manchon M, see Degoute C-S, jt. auth.*
- Mangione MP, see Bjerke RJ, jt. auth.*
- Manninen PH, see Lai Y-C, jt. auth.*
- see *Quader K, jt. auth.*
- Marhofer P, see Erlacher W, jt. auth.*
- Marshall S, see Wong J, jt. auth.*
- Martinez C, see Baillard C, jt. auth.*
- Martins RHG, see Abud TMV, jt. auth.*
- Mashimo T, see Nakagawa M, jt. auth.*
- Massoub FM, see Baraka AS, jt. auth.*
- Matsukawa T, see Toyota K, jt. auth.*
- Matsuki A, see Anzawa N, jt. auth.*
- see *Yoshida H, jt. auth.*
- Matsumoto M, see Kawata R, jt. auth.*
- Matsumoto S, see Iwasaka H, jt. auth.*
- Matthey P, Finucane BT, Finegan BA.* The attitude of the general public towards preoperative assessment and risks associated with general anesthesia, 333

- Mayer N, see Erlacher W, jt. auth.
- McCoy D, see McGinley J, jt. auth.
- McDonagh RJ, Ray JG, Burrows RF, Burrows EA, Vermeulen MJ. Platelet count may predict abnormal bleeding time among pregnant women with hypertension and preeclampsia, 563
- McDonald H, see McNiven P, jt. auth.
- McGinley J, Lynch L, Hubbard K, McCoy D, Cunningham AJ. Dopexamine hydrochloride does not modify hemodynamic response or tissue oxygenation or gut permeability during abdominal aortic surgery, 238
- McGuire G, El-Beheiry H, Brown D. Loss of the airway during tracheostomy: rescue oxygenation and re-establishment of the airway, 697
- McNiven P, Kaufman K, McDonald H, Campbell DC. Prevention: planned Cesarean delivery reduces early perinatal and neonatal complications for term breech presentations. Best evidence in anesthetic practice commentaries, 1114
- Meistelman C, see Fossard J-P, jt. auth.
- Melemani A, see Fassoulaki A, jt. auth.
- Melischek M, see Erlacher W, jt. auth.
- Mérat S, Lévesque J-P, Le Gulluche Y, Diraison Y, Brinquin L, Hoffmann J-J. Intérêt potentiel du BIS pour détecter une souffrance cérébrale importante, 1066
- Merlani P, see Ferring M, jt. auth.
- Meyer C, see Steib A, jt. auth.
- Miller CG, see Soni AK, jt. auth.
- Minami K, see Ozaki M, jt. auth.
- Mirakhur RK, see Reid JE, jt. auth.
- Mishio M, see Yamaguchi S, jt. auth.
- Mitchell AM, Kennedy RR. Preoperative core temperatures in elective surgical patients show an unexpected skewed distribution, 850
- Mitchell GWE, see Chilvers CR, jt. auth.
- see Henderson CL, jt. auth.
- see Vaghadia H, jt. auth.
- Miyakawa H, see Iwasaka H, jt. auth.
- Mizukoshi Y, Shibata K, Yoshida M. Left ventricular contractility is reduced by hypercapnic acidosis and thoracolumbar epidural anesthesia in rabbits, 557
- Moghadam MS, see Setayesh AR, jt. auth.
- Möllenberg O, see Engelhard K, jt. auth.
- Molliex S, see Pichot V, jt. auth.
- Molajavi A, see Müllenheim J, jt. auth.
- Moon DE, see Lee J, jt. auth.
- Moreau D, see Decoene C, jt. auth.
- Morgan PJ, Cleave-Hogg DM, Guest CB, Herold J. Validity and reliability of undergraduate performance assessments in an anesthesia simulator, 225
- Morimoto Y, see Takita K, jt. auth.
- Morita T, see Kadoi Y, jt. auth.
- see Nara T, jt. auth.
- see Okano N, jt. auth.
- Morley-Forster P, see Fallon KM, jt. auth.
- Mörstedt K, see Zöllner C, jt. auth.
- Müllenheim J, Molajavi A, Preckel B, Thämer V, Schlack W. Thiopentone does not block ischemic preconditioning in the isolated rat heart, 784
- Murayama K, Mamiya K, Nozaki K, Sakurai K, Sengoku K, Takahata O, Iwasaki H. Cesarean section in a patient with syringomyelia, 474
- Mysager S, see Røming J, jt. auth.
- N**
- Naguib M, Samarkandimb AH, Al-Hattab Y, Turkistani A, Delti MB, Riad W, Attia M. Metabolic, hormonal and gastric fluid and pH changes after different preoperative feeding regimens, 344
- Nair V, Henry R. Bilateral paravertebral block: a satisfactory alternative for labour analgesia, 179
- Nakabayashi K, see Nakayama M, jt. auth.
- Nakagawa M, Mammoto T, Sakai T, Kishi Y, Mashimo T. Premedication modifies the quality of sedation with propofol during regional anesthesia, 284
- Nakakimura K, see Kawata R, jt. auth.
- Nakamura T, Takasaki M. Intrathecal pre-administration of fentanyl effectively suppresses formalin evoked c-Fos expression in spinal cord of rat, 993
- Nakayama M, Hayashi M, Ichinose H, Yamamoto S, Kanaya N, Namiki A. Values of the bispectral index do not parallel the hemodynamic response to the rapid increase in isoflurane concentration, 958
- , Ichinose H, Yamamoto S, Nakabayashi K, Satoh O, Namiki A. Perioperative intravenous flurbiprofen reduces postoperative pain after abdominal hysterectomy, 234
- Namiki A, see Kimura A, jt. auth.
- see Nakayama M, jt. auth.
- see Nishikawa K, jt. auth.
- see Yamakage M, jt. auth.
- Nandate K, see Kawasaki C, jt. auth.
- Nara T, Saito S, Obata H, Goto F. A rat model of postthoracotomy pain: behavioural and spinal cord NK-1 receptor assessment, 665
- , Yoshikawa D, Saito S, Kadoi Y, Morita T, Goto F. Perioperative management of biventricular failure after closure of a long-standing massive arteriovenous fistula, 588
- Narducci F, see Decoene C, jt. auth.

- Ng HP, Cheong KF, Lim A, Lim J, Puhaindran ME. Intraoperative single-shot "3-in-1" femoral nerve block with ropivacaine 0.25%, ropivacaine 0.5% or bupivacaine 0.25% provides comparable 48-hr analgesia after unilateral total knee replacement, 1102
- Nielsen KC, see Klein SM, jt. auth.
- Nishikawa K, Kawamata M, Namiki A. Lightwand intubation is associated with less hemodynamic changes than fiberoptic intubation in normotensive, but not in hypertensive patients over the age of 60, 1148
- Nishiwaki K, see Kumagai K, jt. auth.
- Nishiyama T, Gyermek L, Lee C, Kawasaki-Yatsugi S, Yamaguchi T. Synergistic analgesic effects of intrathecal midazolam and NMDA or AMPA receptor antagonists in rats, 288
- Niv D, see Weinbroum AA, jt. auth.
- Noguchi T, see Iwasaka H, jt. auth.
- Nozaki K, see Murayama K, jt. auth.
- O**
- Obata H, see Nara T, jt. auth.
- O'Connor JJ, see Griffin MJ, jt. auth.
- Ogata M, see Kawasaki C, jt. auth.
- Ogawa R, see Yoshikawa T, jt. auth.
- Ogura A, see Yoshikawa T, jt. auth.
- O'Hanlon DM, Thambipillai T, Colbert ST, Keane PW, Given HF. Timing of pre-emptive tenoxicam is important for postoperative analgesia, 162
- Ohkawa H, see Anzawa N, jt. auth.
- Ohmizo H, see Furuta S, jt. auth.
- Okano N, Hiraoka H, Owada R, Fujita N, Kadoi Y, Saito S, Goto F, Morita T. Hepatosplanchnic oxygenation is better preserved during mild hypothermic than during normothermic cardiopulmonary bypass, 1011
- Okuda K, see Yamaguchi S, jt. auth.
- Okuda Y, see Yamaguchi S, jt. auth.
- Ong BY, see Boker A, jt. auth.
- Oriol NE, see Soni AK, jt. auth.
- Orser BA, Chen RJB, Yee DA. Medication errors in anesthetic practice: a survey of 687 practitioners, 139
- Oshima T, see Saitoh Y, jt. auth.
- Østergaard D, see Røming J, jt. auth.
- Owada R, see Okano N, jt. auth.
- Ozaki M, Minami K, Sata T, Shigematsu A. Transdermal ketoprofen mitigates the severity of postoperative sore throat, 1080
- P**
- Padda J, see Collins LM, jt. auth.
- Pan AX, see Lim NLSH, jt. auth.
- Pandit UA, Collier PJ, Malviya S, Voepel-Lewis T, Wagner D, Siewert MJ. Oral transmucosal midazolam premedication for preschool children, 191
- Papilas K, see Fassoulaki A, jt. auth.
- Paraskeva A, see Fassoulaki A, jt. auth.
- Park C, Babk J-H, Ahn W-S, Do S-H, Lee K-H. The laryngeal mask airway in infants and children, 413
- Parlow JL, see Patterson L, jt. auth.
- Pash MP, see Archer DP, jt. auth.
- Patel PM, see Cole DJ, jt. auth.
- Patris K, see Fassoulaki A, jt. auth.
- Patterson L, Avery N, Chan P, Parlow JL. The addition of fentanyl does not alter the extent of spread of intrathecal isobaric bupivacaine in clinical practice, 768
- Perhoniemi V, see Rautoma P, jt. auth.
- Perks WJ, see Joo HS, jt. auth.
- Phelps AL, see Vallejo MC, jt. auth.
- Pichler B, see Zöllner C, jt. auth.
- Pichot V, Buffière S, Gaspoz J-M, Costes F, Molliex S, Duverney D, Roche F, Barthélémy J-C. Wavelet transform of heart rate variability to assess autonomic nervous system activity does not predict arousal from general anesthesia, 859
- Piper SN, Fent MT, Röhm K, Maleck WH, Suttner SW, Boldt J. Urapidil does not prevent postanesthetic shivering: a dose-ranging study, 742
- Poopalalingam R, Chin EY-R. Rapid preparation of a patient with pheochromocytoma with labetalol and magnesium sulfate, 876
- Pratt SD, see Soni AK, jt. auth.
- Preckel B, see Müllenheim J, jt. auth.
- Preis C, Preis I. Removal of the connector on the laryngeal mask airway provides a useful alternative to the intubating laryngeal mask, 600
- Preis I, see Preis C, jt. auth.
- Puhaindran ME, see Ng HP, jt. auth.
- Q**
- Quader K, Manninen PH, Lai JKT. Pulmonary edema in the neuroradiology suite: a diagnostic dilemma, 308
- R**
- Raghwendra KH, see Dubey PK, jt. auth.
- Ramanathan S, see Vallejo MC, jt. auth.
- Rautoma P, Santanen U, Luurila H, Perhoniemi V, Erkola O. Preoperative diclofenac is a useful adjunct to spinal anesthesia for day-case varicose vein repair, 661
- Ravussin PA, see Wilder-Smith OHG, jt. auth.

- Ray JG, see McDonagh RJ, jt. auth.
 Ray M-J, see Degoute C-S, jt. auth.
 Reber G, see Ferring M, jt. auth.
 Reid JE, Breslin DS, Mirakhur RK, Hayes AH.
 Neostigmine antagonism of rocuronium block during anesthesia with sevoflurane, isoflurane or propofol, 351
 Riad W, see Naguib M, jt. auth.
 Ricon B, see Ferring M, jt. auth.
 Ries CR, see Butterfield NN, jt. auth.
 Rigal JC, see Blanloeil Y, jt. auth.
 Roche F, see Pichot V, jt. auth.
 Roelants F, De Franceschi E, Veyckemans F, Lavand'homme P. Patient-controlled intravenous analgesia using remifentanyl in the parturient, 175
 Röhm K, see Piper SN, jt. auth.
 Rosen G, see Shir Y, jt. auth.
 Roming J, Mysager S, Vilmann P, Sonne J, Larsen NE, Østergaard D. Postoperative analgesia is not different after local vs systemic administration of meloxicam in patients undergoing inguinal hernia repair, 978
 Rubenovitch J, see Biboulet P, jt. auth.
 Rudick V, see Weinbroum AA, jt. auth.
- S**
 Saito S, see Kadoi Y, jt. auth.
 – see Nara T, jt. auth.
 – see Okano N, jt. auth.
 Saito Y, see Toyota K, jt. auth.
 Satoh Y, Kaneda K, Fujii Y, Oshima T. Nicorandil accelerates recovery of neuromuscular block caused by vecuronium, 28
 Sakabe T, see Kawata R, jt. auth.
 Sakai T, see Nakagawa M, jt. auth.
 Sakura S, see Toyota K, jt. auth.
 Sakurai K, see Murayama K, jt. auth.
 Saldanha JC, see Abud TMV, jt. auth.
 Samama CM, Baillard C. L'anesthésie loco-régionale neuraxiale ne devrait plus être utilisée en chirurgie vasculaire (débat), 72
 – see also Baillard C, jt. auth.
 Samarkandimb AH, see Naguib M, jt. auth.
 Samet A, see Fossard J-P, jt. auth.
 Santanen U, see Rautoma P, jt. auth.
 Sarantopoulos C, see Fassoulaki A, jt. auth.
 Sarna MC, see Soni AK, jt. auth.
 Sasao J, Tarver SD, Kindscher JD, Taneyama C, Benson KT, Goto H. In rabbits, landiolol, a new ultra-short-acting β -blocker, exerts a more potent negative chronotropic effect and less effect on blood pressure than esmolol, 985
 Sata T, see Ozaki M, jt. auth.
 Sato K, see Kumagai K, jt. auth.
 Satoh O, see Nakayama M, jt. auth.
 Sawchuk C, Fayad A. Confirmation of internal jugular guide wire position utilizing trans-esophageal echocardiography, 688
 Schlack W, see Müllenheim J, jt. auth.
 Schmid J, see Henderson CL, jt. auth.
 Schmidt J, see Hemmerling TM, jt. auth.
 Schreiber M, see Lattermann R, jt. auth.
 Schricker T, see Lattermann R, jt. auth.
 Schuettler J, see Hemmerling TM, jt. auth.
 Schuschnig C, see Erlacher W, jt. auth.
 Schwarz S, see Dahaba AA, jt. auth.
 Schwarz SKW, see Butterfield NN, jt. auth.
 Schweitzer E, see Dahaba AA, jt. auth.
 Schwilden H, see Hemmerling TM, jt. auth.
 Sciortino GJ, see Stix MS, jt. auth.
 Seguin P, Blechner JP, Branger B, Guillou YM, Feuillu A, Mallédant Y. La pression télé expiratoire en CO₂ n'est pas un paramètre pertinent de surveillance d'un traumatisme crânien grave, 396
 Seki S, see Kadoi Y, jt. auth.
 Sengoku K, see Murayama K, jt. auth.
 Setayesh AR, Kholdebarin AR, Moghadam MS, Setayesh HR. The Trendelenburg position increases the spread and accelerates the onset of epidural anesthesia for Cesarean section, 890
 Setayesh HR, see Setayesh AR, jt. auth.
 Shandro J, see Duncan PG, jt. auth.
 Sherman DJ, see Bahar M, jt. auth.
 Shibata K, see Mizukoshi Y, jt. auth.
 Shido A, see Toyota K, jt. auth.
 Shieh J-P, see Huang J-C, jt. auth.
 Shigematsu A, see Kawasaki C, jt. auth.
 – see Ozaki M, jt. auth.
 Shim JY, see Lee J, jt. auth.
 Shimada Y, see Kumagai K, jt. auth.
 Shime N, Kato Y, Tanaka Y, Kim W-C. Bilateral transient radial nerve palsies in an infant after cardiac surgery, 200
 Shingu K, see Asai T, jt. auth.
 Shinguu C, see Iwasaka H, jt. auth.
 Shir Y, Rosen G, Zeldin A, Davidson EM.
 Methadone is safe for treating hospitalized patients with severe pain, 1109
 Shnaider R, Ezri T, Szumuk P, Larson S, Warters RD, Katz J. Combined spinal-epidural anesthesia for Cesarean section in a patient with peripartum dilated cardiomyopathy, 681
 Shul I, see Bahar M, jt. auth.
 Shyr M-H, see Lu P-P, jt. auth.
 Sia AT-H, see Cheng CJ-C, jt. auth.
 Siddik SS, see Baraka AS, jt. auth.

- Siewert MJ, see Pandit UA, jt. auth.
 Simoens G, see Van der Linden P, jt. auth.
 Sinclair D, see Wong J, jt. auth.
 Sinha PK, see Dubey PK, jt. auth.
 Sin SC, see Wake PJ, jt. auth.
 Skrobik Y, Gregoretti C. Translaryngeal open ventilation to treat acute respiratory failure in acute exacerbation of chronic obstructive pulmonary disease. A preliminary report, 1161
 – see also Denault A, jt. auth.
 Solylo MA, see Vaghadia H, jt. auth.
 Song D, see Wong J, jt. auth.
 Soni AK, Miller CG, Pratt SD, Hess PE, Oriol NE, Sarna MC. Low dose intrathecal ropivacaine with or without sufentanil provides effective analgesia and does not impair motor strength during labour: a pilot study, 677
 Sonne J, see Raming J, jt. auth.
 Spiliopoulos A, see Chevalley C, jt. auth.
 Stasiuk RBP. Improving styletless oral tracheal intubation: rational use of the OTSU, 911
 Steele SM, see Klein SM, jt. auth.
 Steib A, Freys G, Lehmann C, Meyer C, Mahoudeau G. Intraoperative blood losses and transfusion requirements during adult liver transplantation remain difficult to predict, 1075
 Stephanazzi J, see Kerbaul F, jt. auth.
 Stix MS, Borromeo CJ, Sciortino GJ, Teague PD. Learning to exchange an endotracheal tube for a laryngeal mask prior to emergence, 795
 Suchorzewska J, see Lasinska-Kowara M, jt. auth.
 Sun H, see Vaghadia H, jt. auth.
 Suttner SW, see Piper SN, jt. auth.
 Sweet RL, see Vallejo MC, jt. auth.
 Szumuk P, see Davidson EM, jt. auth.
 – see Shnaider R, jt. auth.
 Szold A, see Weinbroum AA, jt. auth.
- T**
 Taguchi N, see Kihara S, jt. auth.
 Taha SK, see Baraka AS, jt. auth.
 Taillefer M-C, see Le May S, jt. auth.
 Takahata O, see Murayama K, jt. auth.
 Takasaki M, see Nakamura T, jt. auth.
 Takazawa T, see Kudoh A, jt. auth.
 Takita K, Morimoto Y, Kemmotsu O. Tracheal lidocaine attenuates the cardiovascular response to endotracheal intubation, 732
 Tan HM, see Cheng CJ-C, jt. auth.
 Tan P-H, Chia Y-Y, Lo Y, Liu K, Yang L-C, Lee T-H. Intrathecal bupivacaine with morphine or neostigmine for postoperative analgesia after total knee replacement surgery, 551
 Tanaka Y, see Shime N, jt. auth.
 Taneyama C, see Sasao J, jt. auth.
 Tang C-S, see Huang J-C, jt. auth.
 Tanigawa S, see Furuta S, jt. auth.
 Tarver SD, see Sasao J, jt. auth.
 Teague PD, see Stix MS, jt. auth.
 Tétrault F, see Haché M, jt. auth.
 Thambipillai T, see O'Hanlon DM, jt. auth.
 Thämer V, see Müllenheim J, jt. auth.
 Thapar K, see Imarengiaye C, jt. auth.
 Tong D, see Wong J, jt. auth.
 Toyota K, Sakura S, Saito Y, Shido A, Matsukawa T. IM droperidol as premedication attenuates intraoperative hypothermia, 854
 Tremblay C, see Vézina DP, jt. auth.
 Trenchant A, see Van der Linden P, jt. auth.
 Trépanier CA, see Vézina DP, jt. auth.
 Trotier TS, see Ebert TJ, jt. auth.
 Tschopp J-M, see Chevalley C, jt. auth.
 Tsujiguchi N, see Yamakage M, jt. auth.
 Turkistani A, see Naguib M, jt. auth.
 Tylman M, see Andersson I, jt. auth.
 Tzeng J-I, see Huang J-C, jt. auth.
 – see Wang J-J, jt. auth.
- U**
 Uhrich TD, see Ebert TJ, jt. auth.
 Unoshima M, see Iwasaka H, jt. auth.
- V**
 Vaghadia H, Collins L, Sun H, Mitchell GWE. Selective spinal anesthesia for outpatient laparoscopy. IV: Population pharmacodynamic modelling, 273
 —, Solylo MA, Henderson CL, Mitchell GWE. Selective spinal anesthesia for outpatient laparoscopy. II: Epinephrine and spinal cord function, 261
 —, Viskari D, Mitchell GWE, Berrill A. Selective spinal anesthesia for outpatient laparoscopy. I: Characteristics of three hypobaric solutions, 256
 – see also Chilvers CR, jt. auth.
 – see also Collins LM, jt. auth.
 – see also Henderson CL, jt. auth.
 Vallejo MC, Kaul B, Adler LJ, Phelps AL, Craven CM, Macpherson TA, Sweet RL, Ramanathan S. Chorioamnionitis, not epidural analgesia, is associated with maternal fever during labour, 1122
 Van der Linden P, De Hert S, Daper A, Trenchant A, Jacobs D, De Boelpaep C, Kimbimbi P, Defrance P, Simoens G. A standardized multidisciplinary approach reduces the use of allogeneic blood products in patients undergoing cardiac surgery, 894

- van Zeeland M, see Kern SE, jt. auth.
 Vaughan RS, see Ali MS, jt. auth.
 Vermeulen MJ, see McDonagh RJ, jt. auth.
 Veyckemans F, see Roelants F, jt. auth.
 Vézina DP, Trépanier CA, Lessard MR, Gourdeau M, Tremblay C. Anesthesia breathing circuits protected by the DAR Barrierbac S® breathing filter have a low bacterial contamination rate, 748
 Vilmann P, see Røming J, jt. auth.
 Viskari D, see Vaghadia H, jt. auth.
 Voepel-Lewis T, see Pandit UA, jt. auth.

W

- Wachter U, see Lattermann R, jt. auth.
 Wagner D, see Pandit UA, jt. auth.
 Wajima Z, see Yoshikawa T, jt. auth.
 Wake PJ, Ali M, Carroll J, Siu SC, Cheng DCH.
 Clinical and echocardiographic diagnoses disagree in patients with unexplained hemodynamic instability after cardiac surgery, 778
 Wang J-J, Ho S-T, Wong C-S, Tzeng J-I, Liu H-S, Ger L-P. Dexamethasone prophylaxis of nausea and vomiting after epidural morphine for post-Cesarean analgesia, 185
 – see also Huang J-C, jt. auth.
 Warters RD, see Shnaider R, jt. auth.
 Watanabe S, see Kihara S, jt. auth.
 Weinbroum AA, Geller E. Flumazenil improves cognitive and neuromotor emergence and attenuates shivering after halothane-, enflurane- and isoflurane-based anesthesia, 963
 —, Gorodezky A, Niv D, Ben-Abraham R, Rudick V, Szold A. Dextromethorphan attenuation of postoperative pain and primary and secondary thermal hyperalgesia, 167
 Weis M, see Zöllner C, jt. auth.
 Weiss M, Hartmann K, Fischer J, Gerber AC.
 Video-intuboscopic assistance is a useful aid to tracheal intubation in pediatric patients, 691
 Werner C, see Engelhard K, jt. auth.
 Wilder-Smith OHG, Ravussin PA, Decosterd LA, Despland PA, Bissonnette B. Midazolam premedication reduces propofol dose requirements for multiple anesthetic endpoints, 439
 Wolf T, see Hemmerling TM, jt. auth.
 Wong C-S, see Wang J-J, jt. auth.
 Wong D, see Jenkins K, jt. auth.
 Wong J, Marshall S, Chung F, Sinclair D, Song D, Tong D. Spinal anesthesia improves the early recovery profile of patients undergoing ambulatory knee arthroscopy, 369

Y

- Yaguchi Y, see Kihara S, jt. auth.
 Yamaguchi S, Egawa H, Okuda K, Mishio M, Okuda Y, Kitajima T. High concentration sevoflurane induction of anesthesia accelerates onset of vecuronium neuromuscular blockade, 34
 Yamaguchi T, see Nishiyama T, jt. auth.
 Yamakage M, Kimura A, Chen X, Tsujiguchi N, Kamada Y, Namiki A. Production of compound A under low-flow anesthesia is affected by type of anesthetic machine, 435
 – see also Kimura A, jt. auth.
 Yamamoto S, see Nakayama M, jt. auth.
 Yang H-S, see Han T-H, jt. auth.
 Yang L-C, see Tan P-H, jt. auth.
 Yano K, see Kumagai K, jt. auth.
 Yee DA, see Orser BA, jt. auth.
 Yeguiayan JM, see Chomel A, jt. auth.
 Yli-Hankal A, see Mäkinen MT, jt. auth.
 Yoshida H, Kushikata T, Kubota T, Hirota K, Ishihara H, Matsuki A. Xenon inhalation increases norepinephrine release from the anterior and posterior hypothalamus in rats, 651
 – see also Anzawa N, jt. auth.
 Yoshida M, see Mizukoshi Y, jt. auth.
 Yoshikawa D, see Nara T, jt. auth.
 Yoshikawa T, Wajima Z, Inoue T, Ogura A, Ogawa R. Epidural anesthesia with lidocaine reduces propofol injection pain, 538

Z

- Zeldin A, see Shir Y, jt. auth.
 Zöllner C, Goetz AE, Weis M, Mörstedt K, Pichler B, Lamm P, Kilger E, Haller M. Continuous cardiac output measurements do not agree with conventional bolus thermodilution cardiac output determination, 1143

